



Certificate of Analysis

Compliance Test

Client Information:

LAUGHING BUDDHA

614 MAIN AVE

LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001

Order Date: 2023-12-08

Sample # AAF0574

Sampling Date: 2023-12-13

Lab Batch Date: 2023-12-13

Orig. Completion Date: 2023-12-18

Initial Gross Weight: 147.090 g

Number of Units: 6

Net Weight per Unit: 2000.000 mg

Sampling Method: MSP 7.3.1

Statement of Amendment: Updated Potency; Added reflex



**Potency
Tested**



**HHC Metals
Passed**



**HHCP
Tested**



**2,3-Butanedione
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Pathogenic Microbiology
Passed**



**Microbiology (qPCR)
Passed**



**Vitamin E
Passed**

Product Image

Potency 25 (LCUV)

Specimen Weight: 100.980 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	SOP13.001 (LCUV) (%)
Delta-8 THC	10.000	2.60E-5	0.015	655.2400	65.5240
Delta-8 THCV	10.000	4.00E-5	0.015	4.1260	0.4126
THCV	10.000	7.00E-6	0.015	3.8700	0.3870
CBNA	10.000	9.50E-5	0.015	3.2650	0.3265
CBN	10.000	1.40E-5	0.015	3.1400	0.3140
CBT	10.000	2.00E-4	0.015	2.8280	0.2828
CBD	10.000	5.40E-5	0.015	0.3000	0.0300
CBG	10.000	2.48E-4	0.015	0.2700	0.0270
THCVA	10.000	4.70E-5	0.015	0.2328	0.0233
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
Total Active CBD	10.000			0.300	0.030
Total Active THC	10.000			<LOQ	<LOQ

Tested



Potency Summary

Total HHC 17.638%	352.754 mg	Total Active THC None Detected
Total Active CBD 0.030%	0.600 mg	Total CBG 0.540 mg
Total CBN 0.600%	12.000 mg	Other Cannabinoids 1.103% 22.066 mg
Total Cannabinoids 84.922%	1,698.440 mg	Total DELTA-8-THC 65.524% 1310.48 mg

*Reflex tested under AAFD311

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF0574

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 147.090 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

2,3-butanedione(Diacetyl)

Specimen Weight: 305.500 mg

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

Passed
SOP13.039 (GCMS)

Total Yeast and Mold

Specimen Weight: 486.800 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Passed
SOP13.017 (qPCR)

Vitamin E (Tocopheryl Acetate)

Specimen Weight: 584.800 mg

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	10	<LOQ

Passed
SOP13.007 (LC-MS)

Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1023.000 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Passed
SOP13.019 (Micro Array)

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF0574

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 147.090 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Mycotoxins

Specimen Weight: 584.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

HHC Metals

Specimen Weight: 248.700 mg

Passed
SOP13.051 (ICP-MS)

Dilution Factor: 201.045

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	<LOQ

HHCP

Specimen Weight: 100.980 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 5000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.00075	139.0000	13.9 CBC	2.760000E-5	0.00075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.00075	34.2000	3.42 Delta-8 THC methyl ether	2.480000E-4	0.00075	0.1220	0.0122
(±)-9β-hydroxy-HHC	7.7800E-6	0.00075	3.1000	0.31 Delta-9 THC	2.8000E-4	0.00075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.0015	2.0900	0.209 Delta-9 THC methyl ether	1.600000E-4	0.00075	0.0406	0.00406
1(S)-H4-CBD	6.630000E-7	0.0015	0.6030	0.0603 H2-CBD	1.440000E-7	0.00075	0.0444	0.00444
9(R)-HHCP	3.0900E-5	0.00075	0.0647	0.00647 Total HHC			176.3772	17.63772
9(S)-HHCP	2.5500E-5	0.00075	0.0125	0.00125				

Residual Solvents - FL (CBD)

Specimen Weight: 11.400 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	216.122
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "m" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF0574

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 147.090 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Pesticides

Specimen Weight: N/A Dilution Factor: 2.560

Passed

SOP13.007 (LCMS/GCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.

