



Certificate of Analysis
Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF575

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 146.225 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Statement of Amendment: Updated Potency



Potency
Tested



HHC Metals
Passed



HHCP
Tested



2-3-Butanedione
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed



Vitamin E
Passed

Product Image

Potency 25 (LCUV)
Specimen Weight: 101.220 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested S0P13.001 (LCUV) (%)
Delta-8 THC	10.000	2.60E-5	0.015	682.0000	68.2000
Delta-8 THCV	10.000	4.00E-5	0.015	4.9020	0.4902
CBT	10.000	2.00E-4	0.015	4.1000	0.4100
THCV	10.000	7.00E-6	0.015	3.8700	0.3870
CBNA	10.000	9.50E-5	0.015	3.4200	0.3420
CBN	10.000	1.40E-5	0.015	2.4900	0.2490
CBD	10.000	5.40E-5	0.015	0.2700	0.0270
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	10.000			0.270	0.027
Total Active THC	10.000			<LOQ	<LOQ



Potency Summary

Total HHC 15.502%	310.033 mg	-	Total Active THC None Detected
Total Active CBD 0.027%	0.540 mg	-	Total CBG None Detected
Total CBN 0.549%	10.980 mg	1.329%	Other Cannabinoids 26.587 mg
Total Cannabinoids 85.607%	1,712.140 mg	68.2%	Total DELTA-8-THC 1364 mg

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAFC575

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 146.225 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1



2,3-butanedione(Diacetyl)
Specimen Weight: 12.200 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ



Total Yeast and Mold
Specimen Weight: 491.000 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed



Pathogenic Microbiology SAE (MicroArray)
Specimen Weight: 1028.600 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF575

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 146.225 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

E Vitamin E (Tocopheryl Acetate)
Specimen Weight: 586.000 mg

Passed
SOP13.007 (LC-MS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	10	50000	50.200

Mycotoxins
Specimen Weight: 586.000 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

HHC Metals
Specimen Weight: 249.100 mg

Passed
SOP13.051 (ICP-MS)

Dilution Factor: 200.723

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # AAF575

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 146.225 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

HHCP

Specimen Weight: 101.220 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 5000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.00075	124.0000	12.4	2.760000E-5	0.00075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.00075	28.8000	2.88	2.480000E-4	0.00075	0.1800	0.018
(±)-9β-hydroxy-HHC	7.7800E-6	0.00075	2.1400	0.214	2.8000E-4	0.00075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.0015	2.1400	0.214	1.600000E-4	0.00075	0.0613	0.00613
1(S)-H4-CBD	6.630000E-7	0.0015	0.7570	0.0757	1.440000E-7	0.00075	0.0474	0.00474
9(R)-HHCP	3.0900E-5	0.00075	0.0640	0.0064			155.0163	15.50163
9(S)-HHCP	2.5500E-5	0.00075	0.0123	0.00123				

Residual Solvents - FL (CBD)

Specimen Weight: 12.200 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethane	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	18.974
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

LAUGHING BUDDHA
614 MAIN AVE
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU
Batch Date: 2023-12-01
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001
Order Date: 2023-12-08
Sample # A AFC575

Sampling Date: 2023-12-13
Lab Batch Date: 2023-12-13
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 146.225 g

Number of Units: 6
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Pesticides

Specimen Weight: 586.000 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

