



**Certificate of Analysis**  
Compliance Test

Client Information:

**LAUGHING BUDDHA**  
614 MAIN AVE  
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU  
Batch Date: 2023-12-01  
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001  
Order Date: 2023-12-08  
Sample # AAF576

Sampling Date: 2023-12-13  
Lab Batch Date: 2023-12-13  
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 145.130 g

Number of Units: 6  
Net Weight per Unit: 2000.000 mg  
Sampling Method: MSP 7.3.1

Statement of Amendment: Updated Potency



Potency  
Tested



HHC Metals  
Passed



HHCP  
Tested



2-3-Butanedione  
Passed



Mycotoxins  
Passed



Pesticides  
Passed



Residual Solvents  
Passed



Pathogenic Microbiology  
Passed



Microbiology (qPCR)  
Passed



Vitamin E  
Passed

Product Image

**Potency 25 (LCUV)**  
Specimen Weight: 100.210 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested S0P13.001 (LCUV) (%)
Delta-8 THC	10.000	2.60E-5	0.015	682.0900	68.2090
Delta-8 THCV	10.000	4.00E-5	0.015	4.6950	0.4695
CBNA	10.000	9.50E-5	0.015	3.4030	0.3403
THCV	10.000	7.00E-6	0.015	3.2700	0.3270
CBN	10.000	1.40E-5	0.015	2.6300	0.2630
CBT	10.000	2.00E-4	0.015	2.4770	0.2477
CBD	10.000	5.40E-5	0.015	0.2900	0.0290
THCVA	10.000	4.70E-5	0.015	0.2522	0.0252
CBG	10.000	2.48E-4	0.015	0.1900	0.0190
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
Total Active CBD	10.000			0.290	0.029
Total Active THC	10.000			<LOQ	<LOQ



**Potency Summary**

<b>Total HHC</b> 18.385%	367.703 mg	<b>Total Active THC</b> None Detected
<b>Total Active CBD</b> 0.029%	0.580 mg	<b>Total CBG</b> 0.019% 0.380 mg
<b>Total CBN</b> 0.561%	11.220 mg	<b>Other Cannabinoids</b> 1.112% 22.237 mg
<b>Total Cannabinoids</b> 88.315%	1,766.300 mg	<b>Total DELTA-8-THC</b> 68.209% 1364.18 mg

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**LAUGHING BUDDHA**  
614 MAIN AVE  
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU  
Batch Date: 2023-12-01  
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001  
Order Date: 2023-12-08  
Sample # A AFC576

Sampling Date: 2023-12-13  
Lab Batch Date: 2023-12-13  
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 145.130 g

Number of Units: 6  
Net Weight per Unit: 2000.000 mg  
Sampling Method: MSP 7.3.1



**2,3-butanedione(Diacetyl)**  
Specimen Weight: 11.500 mg

**Passed**  
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ



**Total Yeast and Mold**  
Specimen Weight: 478.900 mg

**Passed**  
SOP13.017 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed



**Pathogenic Microbiology SAE (MicroArray)**  
Specimen Weight: 1007.500 mg

**Passed**  
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**LAUGHING BUDDHA**  
614 MAIN AVE  
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU  
Batch Date: 2023-12-01  
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001  
Order Date: 2023-12-08  
Sample # AAF5C76

Sampling Date: 2023-12-13  
Lab Batch Date: 2023-12-13  
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 145.130 g

Number of Units: 6  
Net Weight per Unit: 2000.000 mg  
Sampling Method: MSP 7.3.1

**E Vitamin E (Tocopheryl Acetate)**  
Specimen Weight: 589.000 mg

**Passed**  
SOP13.007 (LC-MS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	10	50000	<LOQ

**Mycotoxins**  
Specimen Weight: 589.000 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

**HHC Metals**  
Specimen Weight: 252.600 mg

**Passed**  
SOP13.051 (ICP-MS)

Dilution Factor: 197.941

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	<LOQ

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**LAUGHING BUDDHA**  
614 MAIN AVE  
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU  
Batch Date: 2023-12-01  
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001  
Order Date: 2023-12-08  
Sample # A AFC576

Sampling Date: 2023-12-13  
Lab Batch Date: 2023-12-13  
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 145.130 g

Number of Units: 6  
Net Weight per Unit: 2000.000 mg  
Sampling Method: MSP 7.3.1

HHCP

Specimen Weight: 100.210 mg

**Tested**  
SOP13.050 (LCMS)

Dilution Factor: 5000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.00075	148.0000	14.8	2.760000E-5	0.00075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.00075	33.2000	3.32	2.480000E-4	0.00075	0.1800	0.018
(±)-9β-hydroxy-HHC	7.7800E-6	0.00075	2.5800	0.258	2.8000E-4	0.00075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.0015	2.2400	0.224	1.600000E-4	0.00075	0.0601	0.00601
1(S)-H4-CBD	6.630000E-7	0.0015	0.6890	0.0689	1.440000E-7	0.00075	0.0439	0.00439
9(R)-HHCP	3.0900E-5	0.00075	0.0598	0.00598			183.8515	18.38515
9(S)-HHCP	2.5500E-5	0.00075	0.0117	0.00117				

Residual Solvents - FL (CBD)

Specimen Weight: 11.500 mg

**Passed**  
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethane	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**LAUGHING BUDDHA**  
614 MAIN AVE  
LOGAN, WEST VIRGINIA 25601

Batch # 12-1-23 46KU  
Batch Date: 2023-12-01  
Extracted From: HEMP

Test Reg State: Florida

Order # LAU231208-100001  
Order Date: 2023-12-08  
Sample # A AFC576

Sampling Date: 2023-12-13  
Lab Batch Date: 2023-12-13  
Orig. Completion Date: 2023-12-18

Initial Gross Weight: 145.130 g

Number of Units: 6  
Net Weight per Unit: 2000.000 mg  
Sampling Method: MSP 7.3.1

**Pesticides**

Specimen Weight: 589.000 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.

